

# General Gold

---

Product Catalogue  
IRANSITE

# General Gold

GG-TS12000 TITANIUM T3 (2023)



## Power supply

220-240v/1ph/50H

## Cooling

Capacity: 12000 btu/h

EER: 3.21 w/w

## Heating

Capacity: 13000 btu/h

Cop: 3.61 w/w

## Power input

Cooling 1078 W

Heating 968 W

## Current input

Cooling 4.9 A

Heating 4.4 A

Max suction perssur: 1.6 MPa

Max discharge perssur: 4.15 MPa

## Refrigerant

Type: R410a

Charged: 780g

circulation: 620 m3/h

Noise (indoor/outdoor): 39db/51db

## Product And Packaging Information

### Indoor unit

Evaporator pipe material: copper

ProductDimension: 802\*200\*295 mm

PackageDimension: 875\*285\*380 mm

Net wight: 8 kg

Gross wight: 11.7 kg

## Outdoor unit

Compreaoc Brand: sanyo

Compreaoc type: Rotary

Condenser pipe material: copper

ProductDimension: 765\*303\*555 mm

PackageDimension: 887\*337\*610 mm

Net wight: 20 kg

Gross wight: 22.5 kg

# General Gold

GG-TS18000 TITANIUM T3 (2023)



## Power supply

220-240v/1ph/50Hz

## Cooling

Capacity: 18000 btu/h

EER: 3.20w/w

## Heating

Capacity: 19000 btu/h

Cop: 3.99 w/w

## Power input

Cooling 1672 W

Heating 1628 W

## Current input

Cooling 7.6 A

Heating 7.4 A

Max suction perssur: 1.5 MPa

Max discharge perssur: 4.2 MPa

## Refrigerant

Type: R410a

Charged: 1650 g

circulation: 750 m3/h

Noise (indoor/outdoor): 41 db/54db

## Product And Packaging Information

### Indoor unit

Evaporator pipe material: copper

ProductDimension: 880\*220\*320 mm

PackageDimension: 890\*300\*390 mm

Net wight: 10 kg

Gross wight: 13 kg

## Outdoor unit

Compreaoc Brand: sanyo

Compreaoc type: Rotary

Condenser pipe material: copper

ProductDimension: 780\*333\*580 mm

PackageDimension: 900\*367\*630 mm

Net wight: 39 kg

Gross wight: 43 kg



# General Gold

GG-TS24000 TITANIUM T3 (2023)



## Power supply

220-240v/1ph/50Hz

## Cooling

Capacity: 24000 btu/h

EER: 3.35 w/w

## Heating

Capacity: 24000 btu/h

Cop: 4.10 w/w

## Power input

Cooling 2178 W

Heating 2134 W

## Current input

Cooling 9.9 A

Heating 9.7 A

Max suction perssur: 1.6 MPa

Max discharge perssur: 4.3 MPa

## Refrigerant

Type: R410a

Charged: 1800 g

circulation: 850 m<sup>3</sup>/h

Noise (indoor/outdoor): 43db/56db

## Product And Packaging Information

### Indoor unit

Evaporator pipe material: copper

ProductDimension: 990\*310\*350 mm

PackageDimension: 920\*310\*399 mm

Net wight: 14 kg

Gross wight: 16 kg

## Outdoor unit

Compreaoc Brand: sanyo

Compreaoc type: Rotary

Condenser pipe material: copper

ProductDimension: 795\*343\*590 mm

PackageDimension: 910\*377\*640 mm

Net wight: 51 kg

Gross wight: 55 kg

# General Gold

GG-GS30000 PORSCHE T3 (2023)



## Power supply

220-240v/1ph/50Hz

## Cooling

Capacity: 30000 btu/h

EER: 3.50 w/w

## Heating

Capacity: 30000 btu/h

Cop: 4.10 w/w

## Power input

Cooling 2530 W

Heating 2486 W

## Current input

Cooling 11.5 A

Heating 11.3 A

Max suction perssur: 1.6 MPa

Max discharge perssur: 4.3 MPa

## Refrigerant

Type: R410a

Charged: 1800 g

circulation: 850 m<sup>3</sup>/h

Noise (indoor/outdoor): 43db/56db

## Product And Packaging Information

### Indoor unit

Evaporator pipe material: copper

ProductDimension: 999\*315\*375 mm

PackageDimension: 1010\*320\*399 mm

Net wight: 22 kg

Gross wight: 25 kg

### Outdoor unit

Compreaoc Brand: sanyo

Compreaoc type: Rotary

Condenser pipe material: copper

ProductDimension: 810\*353\*610 mm

PackageDimension: 950\*387\*650 mm


Net wight: 55 kg

Gross wight: 59 kg



# General Gold

GG-MS12000 PLATINUM(2024)



## Power supply

220-240v/1ph/50Hz

## Cooling

Capacity: 12000 btu/h

EER: 3.21 w/w

## Heating

Capacity: 13000 btu/h

Cop: 3.61 w/w

## Power input

Cooling 1090 W

Heating 1070 W

## Current input

Cooling 4.9 A

Heating 4.4 A

Max suction perssur: 1.6 MPa

Max discharge perssur: 4.15 MPa

## Refrigerant

Type: R410a

Charged: 780 g

circulation: 620 m<sup>3</sup>/h

Noise (indoor/outdoor): 39db/51db

## Product And Packaging Information

### Indoor unit

Evaporator pipe material: copper

ProductDimension: 802\*200\*295 mm

PackageDimension: 875\*285\*380 mm

Net wight: 8 kg

Gross wight: 11.7 kg

## Outdoor unit

Compreaoc Brand: GMCC

Compreaoc type: Rotary

Condenser pipe material: copper

ProductDimension: 765\*303\*555 mm


PackageDimension: 887\*337\*610 mm

Net wight: 20 kg

Gross wight: 22.5 kg

# General Gold

GG-MS18000 PLATINUM (2024)



## Power supply

220-240v/1ph/50Hz

## Cooling

Capacity: 18000 btu/h

EER: 3.20 w/w

## Heating

Capacity: 19000 btu/h

Cop: 3.99 w/w

## Power input

Cooling 2720 W

Heating 2430 W

## Current input

Cooling 7.6 A

Heating 6.21 A

Max suction perssur: 1.5 MPa

Max discharge perssur: 4.2 MPa

## Refrigerant

Type: R410 a

Charged: 1650 g

circulation: 750 m<sup>3</sup>/h

Noise (indoor/outdoor): 41 db/54db

## Product And Packaging Information

### Indoor unit

Evaporator pipe material: copper

ProductDimension: 880\*220\*320 mm

PackageDimension: 890\*300\*390 mm

Net wight: 10 kg

Gross wight: 13 kg

## Outdoor unit

Compreaoc Brand: GMCC

Compreaoc type: Rotary

Condenser pipe material: copper

ProductDimension: 780\*333\*580 mm

PackageDimension: 900\*367\*630 mm


Net wight: 39 kg

Gross wight: 43 kg



# General Gold

GG-MS24000 PLATINUM (2024)



## Power supply

220-240v/1ph/50Hz

## Cooling

Capacity: 24000 btu/h

EER: 3.35 w/w

## Heating

Capacity: 24000 btu/h

Cop: 4.10 w/w

## Power input

Cooling 2890 W

Heating 2590 W

## Current input

Cooling 9.7 A

Heating 9.9 A

Max suction perssur: 1.6 MPa

Max discharge perssur: 4.3 MPa

## Refrigerant

Type: R410 a

Charged: 1800 g

circulation: 850 m<sup>3</sup>/h

Noise (indoor/outdoor): 43db/56db

## Product And Packaging Information

### Indoor unit

Evaporator pipe material: copper

ProductDimension: 990\*310\*350 mm

PackageDimension: 920\*310\*399 mm

Net wight: 14 kg

Gross wight: 16 kg

## Outdoor unit

Compreaoc Brand: GMCC

Compreaoc type: Rotary

Condenser pipe material: copper

ProductDimension: 795\*343\*590 mm

PackageDimension: 910\*377\*640 mm

Net wight: 51 kg

Gross wight: 55 kg



# General Gold

GG-CS30000 AROX (2024)

## Power supply

220-240v/1ph/50Hz

## Cooling

Capacity: 30000 btu/h

Input: 2100 W

Rated current: 11.5 A

EER: 3.65 w/w

## Heating

Capacity: 30000 btu/h

Cop: 4.15 w/w

## Power input

Cooling 2890 W

Heating 2590 W

## Current input

Cooling 11.5 A

Heating 911.3 A

Max suction perssur: 1.6 MPa

Max discharge perssur: 4.3 MPa

## Refrigerant

Type: R410 a

Charged: 2200 g

circulation: 900 m<sup>3</sup>/h

Noise (indoor/outdoor): 45db/58db

## Product And Packaging Information

### Indoor unit


Evaporator pipe material: copper

ProductDimension: 999\*320\*359 mm

PackageDimension: 930\*330\*405 mm

Net wight: 19 kg

Gross wight: 22 kg



### Outdoor unit

Compreaoc Brand: GREE

Compreaoc type: Rotary

Condenser pipe material: copper

ProductDimension: 800\*353\*599 mm

PackageDimension: 920\*387\*649 mm

Net wight: 53 kg

Gross wight: 58 kg

# General Gold

GG-MS30000 VITALLY T3 (2024)



## Power supply

220-240v/1ph/50Hz

## Cooling

Capacity: 32000 btu/h

EER: 3.95 w/w

## Heating

Capacity: 33000 btu/h

Cop: 4.25 w/w

## Power input

Cooling 2900 W

Heating 2950 w

## Current input

Cooling 13 A

Heating 12.9 A

Max suction perssur: 1.65 MPa

Max discharge perssur: 4.32 MPa

## Refrigerant

Type: R410 a

Charged: 2400 g

circulation: 990 m3/h

Noise (indoor/outdoor): 45db/62db

## Product And Packaging Information

### Indoor unit

Evaporator pipe material: copper

ProductDimension: 1260\*370\*390 mm

PackageDimension: 1300\*390\*400 mm

Net wight: 28 kg

Gross wight: 30 kg

## Outdoor unit

Compreaoc Brand: GMCC

Compreaoc type: Rotary

Condenser pipe material: copper

ProductDimension: 950\*383\*800 mm

PackageDimension: 1000\*393\*810 mm

Net wight: 65 kg

Gross wight: 69 kg



# General Gold

## GG-AF30000 ULTRA T3 Standing



### Power supply

220-240v/1ph/50Hz

### Cooling

Capacity: 30000 btu/h

EER: 3.9 w/w

### Heating

Capacity: 30000 btu/h

Cop: 4.20 w/w

### Power input

Cooling 2890 w

Heating 2590 w

### Current input

Cooling 12.5 A

Heating 12.3 A

Max suction perssur: 1.6 MPa

Max discharge perssur: 4.3 MPa

### Refrigerant

Type: R410 a

Charged: 2500 g

circulation: 992 m3/h

Noise (indoor/outdoor): 48db/65db

### Product And Packaging Information

#### Indoor unit

Evaporator pipe material: copper

ProductDimension: 600\*600\*1900 mm

PackageDimension: 620\*620\*1950 mm

Net wight: 35 kg

Gross wight: 40 kg

### Outdoor unit

Compreaoe Brand: GMCC

Compreaoe type: Rotary

Condenser pipe material: copper

ProductDimension: 950\*383\*800 mm

PackageDimension: 1000\*393\*810 mm

Net wight: 67 kg

Gross wight: 71 kg



# General Gold

## GG-AF36000 ULTRA T3 Standing



### Power supply

220-240v/1ph/50Hz

### Cooling

Capacity: 38000 btu/h

EER: 3.95 w/w

### Heating

Capacity: 38000 btu/h

Cop: 4.25 w/w

### Power input

Cooling 2950 w

Heating 2990 w

### Current input

Cooling 14 A

Heating 13.9 A

Max suction perssur: 1.65 MPa

Max discharge perssur: 4.35 MPa

### Refrigerant

Type: R410 a

Charged: 2600 g

circulation: 999 m3/h

Noise (indoor/outdoor): 50db/67db

### Product And Packaging Information

#### Indoor unit

Evaporator pipe material: copper

ProductDimension: 600\*600\*1900 mm

PackageDimension: 620\*620\*1950 mm

Net wight: 40 kg

Gross wight: 45 kg

### Outdoor unit

Compreaoe Brand: GMCC

Compreaoe type: Rotary

Condenser pipe material: copper

ProductDimension: 950\*383\*1280 mm

PackageDimension: 1000\*393\*1300 mm

Net wight: 73 kg

Gross wight: 75 kg

# General Gold

## GG-AF48000 ULTRA T3 Standing



### Power supply

380-415v/3ph/50Hz

### Cooling

Capacity: 48000 btu/h

EER: 4.2 w/w

### Heating

Capacity: 48000 btu/h

Cop: 4.50 w/w

### Power input

Cooling 5500 w

Heating 5600 w

### Current input

Cooling 16.3 A

Heating 16.1 A

Max suction perssur: 1.70 MPa

Max discharge perssur: 4.80 MPa

### Refrigerant

Type: R410 a

Charged: 3800 g

circulation: 2100 m<sup>3</sup>/h

Noise (indoor/outdoor): 53db/70db

### Product And Packaging Information

#### Indoor unit

Evaporator pipe material: copper

ProductDimension: 600\*600\*1900 mm

PackageDimension: 620\*620\*1950 mm

Net wight: 50 kg

Gross wight: 52 kg

### Outdoor unit

Compreaoe Brand: GMCC

Compreaoe type: Rotary

Condenser pipe material: copper

ProductDimension: 920\*383\*1380 mm

PackageDimension: 1000\*393\*1400 mm

Net wight: 90 kg

Gross wight: 96 kg



# General Gold

## GG-MF60000D SCROLL T3 Standing



### Power supply

380-415v/3ph/50Hz

### Cooling

Capacity: 60000 btu/h

EER: 4.45 w/w

### Heating

Capacity: 60000 btu/h

Cop: 4.70 w/w

### Power input

Cooling 6000 w

Heating 6500 w

### Current input

Cooling 19 A

Heating 18.7 A

Max suction perssur: 1.75 MPa

Max discharge perssur: 4.85 MPa

### Refrigerant

Type: R410 a

Charged: 3900 g

circulation: 2900 m3/h

Noise (indoor/outdoor): 55db/75db

### Product And Packaging Information

#### Indoor unit

Evaporator pipe material: copper

ProductDimension: 600\*600\*1900 mm

PackageDimension: 620\*620\*1950 mm

Net wight: 60 kg

Gross wight: 62 kg

### Outdoor unit

Compreaoc Brand: COPELAND

Compreaoc type: SCROLL

Condenser pipe material: copper

ProductDimension: 950\*490\*1400 mm

PackageDimension: 1095\*495\*1460 mm

Net wight: 105.2 kg

Gross wight: 123.1 kg



**Check Our Website For More Products**

[generallgold.ir](http://generallgold.ir)